ELSEVIER

Physica C 304 (1998) 315–317

PHYSICA C

Author Index to Volume 304

Abraham, R., see Lebbou, K., **304** (1998) 21
Adachi, S., see Wu, X.-J., **304** (1998) 119
Aligia, A.A. and E.R. Gagliano, Superconductor–insulator transitions in a Hubbard chain with nearest-neighbor and bond–charge interactions, **304** (1998) 29

Bánkuti, J., see Klencsár, Z., **304** (1998) 124
Berg, H., see Wiedenhorst, B., **304** (1998) 147
Bhattacharya, R.N., R.D. Blaugher, Z.F. Ren, W. Li, J.H. Wang, M. Paranthaman, D.T. Verebelyi and D.K. Christen, Superconducting thallium oxide films by the electrodeposition method, **304** (1998) 55
Blaugher, R.D., see Bhattacharya, R.N., **304** (1998) 55
Blaugher, R.D., see Carlson, C.M., **304** (1998) 82
Bobrovskii, V., see Mikhalev, K., **304** (1998) 165
Bódog, M., see Klencsár, Z., **304** (1998) 124
Bonn, D.A., see Liang, R., **304** (1998) 105
Brandão, D.E., see da Silva, C.M., **304** (1998) 73
Buckuliaková, A., see Gritzner, G., **304** (1998) 179

Carlson, C.M., J.C. Price, P.A. Parilla, D.S. Ginley, D. Niles, R.D. Blaugher, A. Goyal, M. Paranthaman, D.M. Kroeger and D.K. Christen, Laser-ablated epitaxial $LaAlO_3$ buffer layers on biaxially textured Ni substrates for superconducting tapes, **304** (1998) 82
Chaddah, P., see Roy, S.B., **304** (1998) 43
Chandran, M., Field distribution in thin superconductors with secondary peak in magnetisation, **304** (1998) 202
Chaud, X., see Wang, J., **304** (1998) 191
Choi, E.J., see Choi, H.S., **304** (1998) 66
Choi, H.S., E.J. Choi and Y.J. Kim, Temperature dependence of the mid-infrared absorptions in undoped cuprate $Sr_2CuO_2Cl_2$, **304** (1998) 66
Choughule, D.D., see Rajeswari, M., **304** (1998) 277
Christen, D.K., see Bhattacharya, R.N., **304** (1998) 55
Christen, D.K., see Carlson, C.M., **304** (1998) 82
Ciszek, M., see Lebbou, K., **304** (1998) 21
Civale, L., see Herbsommer, J.A., **304** (1998) 112
Cohen-Adad, M.Th., see Lebbou, K., **304** (1998) 21
Cook, L.P., see Park, C., **304** (1998) 265
Czigany, Zs., see Edvardsson, C.N.L., **304** (1998) 245

Da Silva, C.M., D.E. Brandão and A.A. Gomes, Pseudo-quaternary boro-carbides: a two sub-lattice model, **304** (1998) 73
DeLong, L.E., see Roy, S.B., **304** (1998) 43
Desgardin, G., see Wang, J., **304** (1998) 191
Drost, R.J., see Fu, W.T., **304** (1998) 51
D'yachkova, T., see Mikhalev, K., **304** (1998) 165

Edvardsson, C.N.L., U. Helmersson, L.D. Madsen, Zs. Czigany, L. Ryen and E. Olsson, Formation of secondary phases in $YBa_2Cu_3O_{7-\delta}/SrTiO_3$ multilayers, **304** (1998) 245
Edvardsson, C.N.L., see Ryen, L., **304** (1998) 307
El Massalami, M., R.E. Rapp and G.J. Nieuwenhuys, Superconductivity in the intermediate-valence $CeNi_2B_2C$, **304** (1998) 184
Erraud, A., see Wang, J., **304** (1998) 191

Freitag, B.H., see Wiedenhorst, B., **304** (1998) 147
Fu, W.T. and R.J. Drost, Superconductivity in the $BaPb_{1-x}Bi_{x/2}Sb_{x/2}O_3$ system, **304** (1998) 51
Furukawa, Y., see Mikhalev, K., **304** (1998) 165

Gagliano, E.R., see Aligia, A.A., **304** (1998) 29
Gerashenko, A., see Mikhalev, K., **304** (1998) 165
Ginley, D.S., see Carlson, C.M., **304** (1998) 82
Gomes, A.A., see da Silva, C.M., **304** (1998) 73
Goren, S.D., C. Korn, C. Perrin, W. Hoffmann, A. Privalov, H.M. Vieth and K. Lüders, NMR study of ^{19}F resonance above T_c in fluorinated $YBa_2Cu_3O_x$, **304** (1998) 283
Goyal, A., see Carlson, C.M., **304** (1998) 82
Gritzner, G., A. Buckuliaková, G. Plesch, K. Przybylski and M. Mair, Preparation and characterization of Tl–Ba–Ca–Cu–O 2212 superconducting thick films, **304** (1998) 179
Gross, R., see Wiedenhorst, B., **304** (1998) 147
Günther, W., see Weiß, M., **304** (1998) 156

Hampshire, D.P., Ferromagnetic and antiferromagnetic superconductivity, **304** (1998) 1
Hardy, W.N., see Liang, R., **304** (1998) 105
Hasegawa, M., see Kumagai, Y., **304** (1998) 35
Hatada, K. and H. Shimizu, Structural and superconducting properties of $R_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ (R = Y, Er, Gd, Eu; $0 < \delta < 1$), **304** (1998) 89
Helmersson, U., see Edvardsson, C.N.L., **304** (1998) 245
Helmersson, U., see Ryen, L., **304** (1998) 307
Herbsommer, J.A., J. Luzuriaga, L. Civale, G. Nieva, G. Pasquini, H. Lanza and P. Levy, Angular variation of pin-

ning near the irreversibility temperature in single crystal $YBa_2Cu_3O_{7-\delta}$ with splayed columnar defects, **304** (1998) 112
Hervieu, M., see Malo, S., **304** (1998) 213
Hirabayashi, I., see Yamagiwa, K., **304** (1998) 12
Hirabayashi, I., see Kumagai, Y., **304** (1998) 35
Hirayama, T., see Kumagai, Y., **304** (1998) 35
Hoffmann, W., see Goren, S.D., **304** (1998) 283
Homonnay, Z., see Klencsár, Z., **304** (1998) 124
Hong, G.-W., see Jee, Y.A., **304** (1998) 255
Hung, K.C., see Li, J.Q., **304** (1998) 133

Ikuhara, Y., see Kumagai, Y., **304** (1998) 35
Iwata, M., see Kumagai, Y., **304** (1998) 35

Jee, Y.A., G.-W. Hong, T.-H. Sung and C.-J. Kim, Control of the growth rate of $YBa_2Cu_3O_x$ single-domained crystal by applying two-step undercooling in top-seeded melt growth, **304** (1998) 255

Kad'irova, N., see Mikhalev, K., **304** (1998) 165
Kanehashi, K., M. Kikuchi, H. Tokuno and Y. Syono, Superconductivity and valence analysis of Pb and Cu of the (Pb,Cd)-12$(n-1)n$ ($n = 1, 2$) cuprate superconductors, **304** (1998) 96
Kikuchi, M., see Kanehashi, K., **304** (1998) 96
Kim, C.-J., see Jee, Y.A., **304** (1998) 255
Kim, Y.J., see Choi, H.S., **304** (1998) 66
Klencsár, Z., E. Kuzmann, Z. Homonnay, A. Vértes, K. Vad, J. Bánkuti, T. Rácz, M. Bódog and I. Kotsis, The effect of Pr substituted in $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ and $EuBa_{2-x}Pr_xCu_3O_{7-\delta}$ perovskites, **304** (1998) 124
Koike, S., see Yamaji, K., **304** (1998) 225
Korn, C., see Goren, S.D., **304** (1998) 283
Kotsis, I., see Klencsár, Z., **304** (1998) 124
Krasnov, V.M., N. Mros, A. Yurgens and D. Winkler, Magnetic field dependence of the critical current in stacked Josephson junctions. Evidence for fluxon modes in $Bi_2Sr_2CaCu_2O_{8+x}$ mesas, **304** (1998) 172
Kroeger, D.M., see Carlson, C.M., **304** (1998) 82
Kumagai, K., see Mikhalev, K., **304** (1998) 165
Kumagai, Y., Y. Yoshida, M. Iwata, M. Hasegawa, Y. Sugawara, T. Hirayama, Y. Ikuhara, I. Hirabayashi and Y. Takai, Fabrication and characterization of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ thin films deposited by metal–organic chemical vapor deposition using liquid state sources, **304** (1998) 35
Kuzmann, E., see Klencsár, Z., **304** (1998) 124

Lakeou, S., see Rajeswari, M., **304** (1998) 277
Lam, C.C., see Li, J.Q., **304** (1998) 133
Lanza, H., see Herbsommer, J.A., **304** (1998) 112
Lebbou, K., S. Trosset, R. Abraham, M.Th. Cohen-Adad, M. Ciszek and W.Y. Liang, Thallium cuprate 1223 type. I. Its elaboration and dependence of chemical and thermal stability and of superconducting transition temperature on Tl/Pb and Sr/Ba substitutions, **304** (1998) 21
Levy, P., see Herbsommer, J.A., **304** (1998) 112
Li, J.Q., C.C. Lam, K.C. Hung and L.J. Shen, Enhancement of critical current density in $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor doped by Sb, **304** (1998) 133
Li, W., see Bhattacharya, R.N., **304** (1998) 55
Li, Y., X. Yao and K. Tanabe, Improved surface morphology of $NdBa_2Cu_3O_{7-\delta}$ films grown by pulsed laser deposition using a large single crystal target, **304** (1998) 239
Liang, R., D.A. Bonn and W.N. Hardy, Growth of high quality YBCO single crystals using $BaZrO_3$ crucibles, **304** (1998) 105
Liang, W.Y., see Lebbou, K., **304** (1998) 21
Lüders, K., see Goren, S.D., **304** (1998) 283
Luzuriaga, J., see Herbsommer, J.A., **304** (1998) 112

Mader, W., see Wiedenhorst, B., **304** (1998) 147
Madsen, L.D., see Edvardsson, C.N.L., **304** (1998) 245
Mair, M., see Gritzner, G., **304** (1998) 179
Malo, S., C. Michel, D. Pelloquin, M. Hervieu, O. Toulemonde and B. Raveau, Compared structural behavior of $Hg_{0.5}Cr_{0.5}Sr_2CuO_{4.82}$ and $Hg_{0.5}Cr_{0.5}Sr_4Cu_2O_7CO_3$ superconductors, **304** (1998) 213
Marinel, S., see Wang, J., **304** (1998) 191
Michel, C., see Malo, S., **304** (1998) 213
Mikhalev, K., K. Kumagai, Y. Furukawa, V. Bobrovskii, T. D'yachkova, N. Kad'irova and A. Gerashenko, ^{63}Cu NMR study of infinite-layer compound $Sr_{1-x}La_xCuO_2$, **304** (1998) 165
Mishra, D.R., P.L. Upadhyay and R.G. Sharma, Superconductivity of Nb-substituted Bi-2223 superconductor, **304** (1998) 293
Monot, I., see Wang, J., **304** (1998) 191
Mros, N., see Krasnov, V.M., **304** (1998) 172

Nakanishi, T., see Yamaji, K., **304** (1998) 225
Nieuwenhuys, G.J., see El Massalami, M., **304** (1998) 184
Nieva, G., see Herbsommer, J.A., **304** (1998) 112
Niles, D., see Carlson, C.M., **304** (1998) 82

Ogale, S.B., see Rajeswari, M., **304** (1998) 277
Olsson, E., see Edvardsson, C.N.L., **304** (1998) 245
Olsson, E., see Ryen, L., **304** (1998) 307

Paranthaman, M., see Bhattacharya, R.N., **304** (1998) 55
Paranthaman, M., see Carlson, C.M., **304** (1998) 82
Parilla, P.A., see Carlson, C.M., **304** (1998) 82
Park, C., W. Wong-Ng, L.P. Cook, R.L. Snyder, P.V.P.S.S. Sastry and A.R. West, Melting investigation of $Bi_2Sr_{1.9}Ca_{2.1}Cu_3O_{10+x}$ by high temperature X-ray diffraction and quenching, **304** (1998) 265
Pasquini, G., see Herbsommer, J.A., **304** (1998) 112
Pelloquin, D., see Malo, S., **304** (1998) 213
Perrin, C., see Goren, S.D., **304** (1998) 283
Plesch, G., see Gritzner, G., **304** (1998) 179
Price, J.C., see Carlson, C.M., **304** (1998) 82
Privalov, A., see Goren, S.D., **304** (1998) 283
Provost, J., see Wang, J., **304** (1998) 191
Przybylski, K., see Gritzner, G., **304** (1998) 179

Rácz, T., see Klencsár, Z., **304** (1998) 124
Rajeswari, M., R. Shreekala, Z. Trajanovic, S.B. Ogale, D.D. Choughule, T. Venkatesan, S. Lakeou and A.N. Thorpe, Incorporation of Co dopant and its effect on magneto-transport properties in *c*-axis oriented epitaxial $YBa_2Cu_{3-x}Co_xO_{7-\delta}$ thin films, **304** (1998) 277
Rapp, R.E., see El Massalami, M., **304** (1998) 184
Raveau, B., see Malo, S., **304** (1998) 213
Ren, Z.F., see Bhattacharya, R.N., **304** (1998) 55
Roy, S.B., P. Chaddah and L.E. DeLong, Possibility of a first-order transition in the magnetization study of the anomalous superconducting mixed state of $CeRu_2$, **304** (1998) 43
Ryen, L., E. Olsson, C.N.L. Edvardsson and U. Helmersson, Dislocations, strain, and defects in heteroepitaxial $YBa_2Cu_3O_{7-x}/SrTiO_3$ multilayers, **304** (1998) 307
Ryen, L., see Edvardsson, C.N.L., **304** (1998) 245

Sastry, P.V.P.S.S., see Park, C., **304** (1998) 265
Schöllhorn, R., see Weiß, M., **304** (1998) 156
Sharma, R.G., see Mishra, D.R., **304** (1998) 293
Shen, L.J., see Li, J.Q., **304** (1998) 133
Shimizu, H., see Hatada, K., **304** (1998) 89
Shreekala, R., see Rajeswari, M., **304** (1998) 277
Snyder, R.L., see Park, C., **304** (1998) 265
Sugawara, Y., see Kumagai, Y., **304** (1998) 35
Sung, T.-H., see Jee, Y.A., **304** (1998) 255
Syono, Y., see Kanehashi, K., **304** (1998) 96

Takai, Y., see Kumagai, Y., **304** (1998) 35
Tanabe, K., see Wu, X.-J., **304** (1998) 119
Tanabe, K., see Li, Y., **304** (1998) 239
Tatsuki, T., see Wu, X.-J., **304** (1998) 119
Thorpe, A.N., see Rajeswari, M., **304** (1998) 277
Tokuno, H., see Kanehashi, K., **304** (1998) 96
Toulemonde, O., see Malo, S., **304** (1998) 213
Trajanovic, Z., see Rajeswari, M., **304** (1998) 277
Trosset, S., see Lebbou, K., **304** (1998) 21

Upadhyay, P.L., see Mishra, D.R., **304** (1998) 293

Vad, K., see Klencsár, Z., **304** (1998) 124
Venkatesan, T., see Rajeswari, M., **304** (1998) 277
Verebelyi, D.T., see Bhattacharya, R.N., **304** (1998) 55
Vértes, A., see Klencsár, Z., **304** (1998) 124
Vieth, H.M., see Goren, S.D., **304** (1998) 283

Wang, J., I. Monot, X. Chaud, A. Erraud, S. Marinel, J. Provost and G. Desgardin, Fabrication and characterisation of large-grain $YBa_2Cu_3O_7$ superconductors by seeded melt texturing, **304** (1998) 191
Wang, J.H., see Bhattacharya, R.N., **304** (1998) 55
Weiß, M., W. Günther and R. Schöllhorn, Topotactic cathodic reduction of the superconducting oxocuprate $YBa_2Cu_3O_7$, **304** (1998) 156
West, A.R., see Park, C., **304** (1998) 265
Wiedenhorst, B., H. Berg, R. Gross, B.H. Freitag and W. Mader, Structure and chemical composition of planar defects in $Sr_{0.9}La_{0.1}CuO_2$ infinite-layered superconductors by electron spectroscopic imaging, **304** (1998) 147
Winkler, D., see Krasnov, V.M., **304** (1998) 172
Wong-Ng, W., see Park, C., **304** (1998) 265
Wu, X.-J., T. Tatsuki, S. Adachi and K. Tanabe, New type 2212 structure discovered in Tl–Hg–Ba–Cu–O system, **304** (1998) 119

Yamagiwa, K. and I. Hirabayashi, Structural and superconducting properties of biaxially aligned Yb123 films prepared by chemical solution deposition, **304** (1998) 12
Yamaji, K., T. Yanagisawa, T. Nakanishi and S. Koike, Variational Monte Carlo study on the superconductivity in the two-dimensional Hubbard model, **304** (1998) 225
Yanagisawa, T., see Yamaji, K., **304** (1998) 225
Yao, X., see Li, Y., **304** (1998) 239
Yoshida, Y., see Kumagai, Y., **304** (1998) 35
Yurgens, A., see Krasnov, V.M., **304** (1998) 172

ELSEVIER

Physica C 304 (1998) 318–319

PHYSICA C

Analytic Subject Index to Volume 304

AC susceptibility
–of $BaPb_{1-x}Bi_{x/2}Sb_{x/2}O_3$ 51
Antiferromagnetic order
–in $Sr_2CuO_2Cl_2$ 66

$BaZrO_3$ crucible 105
Berry phases 29
Biaxial texture
–in $LaAlO_3/SrTiO_3/CeO_2/Ni$ 82
Buffer layers 82

Cathodic reduction
–of $YBa_2Cu_3O_7$ 156
Chemical solution deposition
–of $YBa_2Cu_3O_{7-\delta}$ films 12
Columnar defects
–in $YBa_2Cu_3O_{7-\delta}$ single crystal 112
Condensation energy 225
Critical current density
–of $(TlBi)_{0.9}Sr_{1.6}Ba_{0.4}Ca_2Cu_3Ag_{0.2}O_x$ films 55
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 133
–of $NdBa_2Cu_3O_{7-\delta}$ films 239
–of $YBa_2Cu_3O_7$ 191
–of $YBa_2Cu_3O_{7-\delta}$ single crystal 112
–of $YBa_2Cu_3O_{7-\delta}$ thin films 277
Critical currents 172
CuO_2 planes
–in $Sr_{1-x}La_xCuO_2$ 165
–in $YBa_2Cu_3O_{7-\delta}$ thin films 277

Defect structures
–in $Sr_{0.9}La_{0.1}CuO_2$ 147
Defects
–in $YBa_2Cu_3O_{7-x}/SrTiO_3$ 307
Dopant effects
–in $YBa_2Cu_3O_{7-\delta}$ thin films 277
d-wave superconductivity 225

EDX composition analysis
–of Tl-Hg-Ba-Cu-O 119
EELS
–on $Sr_{0.9}La_{0.1}CuO_2$ 147
Electrical resistivity
–of $(BiPb)_2Sr_2Ca_2Cu_3O_\delta$ 293
–of $BaPb_{1-x}Bi_{x/2}Sb_{x/2}O_3$ 51
Electrochemistry 156
Electrodeposition
–of $(TlBi)_{0.9}Sr_{1.6}Ba_{0.4}Ca_2Cu_3Ag_{0.2}O_x$ films 55
Electron phonon coupling
–in $RE(Ni_{1-x}M_x)_2B_2C$ 73
Equibrium phase diagram
–for $(Tl_xPb_{1-x})(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 21

Ferromagnetic state 1
Field distribution 202
Fluorination
–of $YBa_2Cu_3O_x$ 283
Flux pinning
–in $YBa_2Cu_3O_{7-\delta}$ single crystal 112
Fluxon modes 172

Gibbs free energy 1
Grain alignment (texturing)
–in $YBa_2Cu_3O_{7-\delta}$ films 12

HREM
–on $Hg_{0.5}Cr_{0.5}Sr_2CuO_{5-\delta}$ 213
–on $Hg_{0.5}Cr_{0.5}Sr_4Cu_2O_7CO_3$ 213
–on $Sr_{0.9}La_{0.1}CuO_2$ 147
–on $YBa_2Cu_3O_{7-x}/SrTiO_3$ 307
Hubbard model 29
Hydrogen intercalation 156

Infrared spectroscopy
–on $Sr_2CuO_2Cl_2$ 66
Interlayer coupling
–in $YBa_2Cu_3O_{7-\delta}$ thin films 277
Intermediate valence 184

Knight shift
–for $Sr_{1-x}La_xCuO_2$ 165

Levitation
–of $YBa_2Cu_3O_7$ 191
Liquid source
–for $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 35

Magnetic order
–in $RE(Ni_{1-x}M_x)_2B_2C$ 73
Magnetisation
–of $(BiPb)_2Sr_2Ca_2Cu_3O_\delta$ 293
Magnetization
–of $CeRu_2$ 43
–of $YBa_2Cu_3O_{7-x}$ crystals 105
Magnetron sputtering
–of $YBa_2Cu_3O_{7-\delta}/SrTiO_3$ multilayers 245
Meissner state 1
Melt processing
–of $YBa_2Cu_3O_x$ single crystal 255
Melt-texturing
–of $YBa_2Cu_3O_7$ 191
Melting sequence
–of $Bi_2Sr_{1.9}Ca_{2.1}Cu_3O_{10+x}$ 265
Metal naphthenates 12
Metal-insulator transition
–in $BaPb_{1-x}Bi_{x/2}Sb_{x/2}O_3$ 51
Microstructure
–of $Tl_2Ba_2CaCu_2O_y$ films 179
–of $YBa_2Cu_3O_{7-x}/SrTiO_3$ multilayers 307
Mixed state behaviour
–of $CeRu_2$ 43
Mössbauer spectroscopy
–on $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 124
–on $EuBa_{2-x}Pr_xCu_3O_{7-\delta}$ 124
MOCVD
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 35
Monophased field
–for $(Tl_xPb_{1-x})(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 21
Multilayered structures 245

Next nearest neighbor transfer 225
NMR
–in $Sr_{1-x}La_xCuO_2$ 165
–on $YBa_2Cu_3O_xF_y$ 283

Oxygen partial pressure 12
Oxygen stoichiometry
–in $(Pb_{0.5}Cd_{0.5})(Sr_xLa_{2-x})CuO_y$ ((Pb,Cd)-1201 phase) 96
–in $R_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 89

Pair-breaking
–in $(BiPb)_2Sr_2Ca_2Cu_3O_\delta$ 293

Peak effect 202
Phase formation
–in $YBa_2Cu_3O_{7-\delta}/SrTiO_3$ multilayers 245
Phase transitions 43
Phases
–in $Bi_2Sr_{1.9}Ca_{2.1}Cu_3O_{10+x}$ 265
Phonon-assisted bimagnon model
–for $Sr_2CuO_2Cl_2$ 66
Pinning force
–in $YBa_2Cu_3O_{7-\delta}$ single crystal 112
Pulsed laser deposition
–of $LaAlO_3/SrTiO_3/CeO_2/Ni$ structure 82
–of $NdBa_2Cu_3O_{7-\delta}$ films 239

Quadrupolar frequency
–for $Sr_{1-x}La_xCuO_2$ 165
Quenching
–of $Bi_2Sr_{1.9}Ca_{2.1}Cu_3O_{10+x}$ 265

Rolled-Ni substrates 82

2212 structure
–in Tl-Hg-Ba-Cu-O 119
Sb doping
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 133
SDW 225
Seed growth
–of $YBa_2Cu_3O_7$ 191
SEM
–on $Tl_2Ba_2CaCu_2O_y$ films 179
Single crystal growth
–of $YBa_2Cu_3O_{7-x}$ 105
Single grain
–of $YBa_2Cu_3O_7$ 191
Specific heat
–of $CeNi_2B_2C$ 184
Stacked Josephson junctions
–in $Bi_2Sr_2CaCu_2O_{8+x}$ 172
Structure
–of $(Tl_xPb_{1-x})(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 21
–of $(TlBi)_{0.9}Sr_{1.6}Ba_{0.4}Ca_2Cu_3Ag_{0.2}O_x$ films 55
–of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 124
–of $EuBa_{2-x}Pr_xCu_3O_{7-\delta}$ 124
–of $Hg_{0.5}Cr_{0.5}Sr_2CuO_{5-\delta}$ 213
–of $Hg_{0.5}Cr_{0.5}Sr_4Cu_2O_7CO_3$ 213
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 133
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 35
–of $R_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 89
–of Tl-Hg-Ba-Cu-O 119
–of $YBa_2Cu_3O_{7-\delta}$ films 12
–of $YBa_2Cu_3O_{7-\delta}/SrTiO_3$ multilayers 245
Substitution effect
–in $(Pb_{0.5}Cd_{0.5})(Sr_xLa_{2-x})CuO_y$ ((Pb,Cd)-1201 phase) 96
Substitution effects
–in $(BiPb)_2Sr_2Ca_2Cu_3O_\delta$ 293
–in $(Tl_xPb_{1-x})(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 21
–in $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 124
–in $EuBa_{2-x}Pr_xCu_3O_{7-\delta}$ 124
Substitutional effect
–in $R_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 89
Superconducting properties
–of $NdBa_2Cu_3O_{7-\delta}$ films 239
Superconductivity
–in $CeNi_2B_2C$ 184
Surface morphology
–of $NdBa_2Cu_3O_{7-\delta}$ films 239
Synthesis
–of $(Pb_{0.5}Cd_{0.5})(Sr_xLa_{2-x})CuO_y$ ((Pb,Cd)-1201 phase) 96
–of $(Tl_xPb_{1-x})(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 21
–of $BaPb_{1-x}Bi_{x/2}Sb_{x/2}O_3$ 51
–of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 124
–of $EuBa_{2-x}Pr_xCu_3O_{7-\delta}$ 124
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 133
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 35
–of $Sr_{0.9}La_{0.1}CuO_2$ 147
–of $Tl_2Ba_2CaCu_2O_y$ films 179

TEM observation
–of Tl-Hg-Ba-Cu-O 119
TEM-EDX
–on $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ 35
Tl-oxides 55
Top-seeded melt growth
–of $YBa_2Cu_3O_x$ single crystal 255
Topological quantum numbers 29
Two step undercooling
–for $YBa_2Cu_3O_x$ single crystal 255
Two sublattice model
–for $RE(Ni_{1-x}M_x)_2B_2C$ 73
Two-dimensional Hubbard model 225
T_c-plateau
–for $R_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 89

Valence analysis 96
Variational Monte Carlo method 225
X-ray diffraction
–on $YBa_2Cu_3O_{7-x}$ crystals 105

XANES
–on $Hg_{0.5}Cr_{0.5}Sr_2CuO_{5-\delta}$ 213
–on $Hg_{0.5}Cr_{0.5}Sr_4Cu_2O_7CO_3$ 213